

1a Info:



Specific Notes:

- System will be comprised of 6" Multi-Flow lines on playing surface, spaced 15 ft. (fitting-to-fitting). Main transport pipes should be ≥8" and outlet ≥10".

- The 6" Multi-Flow will join together, along with the main transport pipe, at the same location within the same trench (see 1a). Standard round pipe (3") may be custom fit on-site, to easily allow for variations in depth.

- The Multi-Flow will join together, using the appropriate coupler. At each of the coupled locations, it is suggested that a 2" PVC tape be used to secure the geotextile, to the connection.

*The contained information is for reference only. It is not intended for use, as an engineered spec. Additionally, it is the responsibility of the user to ensure the suitability of Multi-Flow products, for the outlined project.

NOTES

Materials:

9,050' - 6" Multi-Flow
Part# 06000

64 - 6" End Caps
Part# 06001

61 - 6" Couplers
Part# 06002

16 - 6" Outlet
Part# 0600M

32 - 6" 90 Degree
Part# 0600N

48 - Vertical Corru-Tap
Part# 00CTV

Performance

System Capacity: 81,600 gph

Outlet Capacity: >89,000 gph

*Note: Outlet capacity is directly related to the size of the HDPE transport system.

Project Details

Name: Natural Baseball
Typical Crown/Slope

Author: ATP

Date: 2.6.2008

Multi-FLOW
Professional Drainage Systems

Multi-Flow is a product of Varicore Technologies,Inc.
US Patent# 4995759